



US00D356377S

# United States Patent [19]

[11] Patent Number: **Des. 356,377**

Tsubota et al.

[45] Date of Patent: **\*\* Mar. 14, 1995**

## [54] ELECTRONIC SPHYGMOMANOMETER

[75] Inventors: **Jun Tsubota, Tokyo; Hiroshi Mochizuki, Fuji, both of Japan**

[73] Assignee: **Terumo Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **17,308**

[22] Filed: **Jan. 10, 1994**

### [30] Foreign Application Priority Data

Jul. 12, 1993 [JP] Japan ..... 5-21104

[52] U.S. Cl. .... **D24/165**

[58] Field of Search ..... D24/165; 128/680, 681, 128/682, 685

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 297,051	8/1988	Kawamura	.....	D24/165
D. 298,774	11/1988	Yubisui et al.	.....	D24/165
D. 323,712	2/1992	Foster, Jr. et al.	.....	D24/165
5,220,925	6/1993	Hishida	.....	123/60

### FOREIGN PATENT DOCUMENTS

660635	6/1986	Japan	.
682435	7/1986	Japan	.
744991	10/1988	Japan	.
747418	10/1988	Japan	.
769153	9/1989	Japan	.

*Primary Examiner*—Stella Reid  
*Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Woodward

### [57] CLAIM

The ornamental design for an electronic sphygmomanometer, as shown and described.

### DESCRIPTION

FIG. 1 is a front, top, right side perspective view of an electronic sphygmomanometer showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a right side elevational view thereof; and,  
FIG. 8 is a perspective view thereof in which the article is in use.




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

