



US00D356415S

**United States Patent** [19]  
**Minasian**

[11] **Patent Number: Des. 356,415**

[45] **Date of Patent: \*\* Mar. 14, 1995**

[54] **LOCKABLE CRADLE FOR HAND TRUCK**

[76] Inventor: **Ora Minasian**, 3610 T St.,  
Sacramento, Calif. 95816

[\*\*] Term: **14 Years**

[21] Appl. No.: **24,623**

[22] Filed: **Jun. 17, 1994**

[52] U.S. Cl. .... **D34/27; D34/26**

[58] Field of Search ..... **D34/27, 26, 24, 12;**  
**280/47.27, 47.29**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 310,284 8/1990 Boyer ..... **D34/26**  
3,941,399 3/1976 Peters et al. .... **280/47.29**

*Primary Examiner*—**Kay H. Chin**

*Attorney, Agent, or Firm*—**Lothrop & West**

[57] **CLAIM**

The ornamental design for a lockable cradle for hand truck, as shown and described.

**DESCRIPTION**

FIG. 1 is a right front perspective view of a lockable cradle for hand truck, showing my new design, with the Z-lever and hasp in unlocked position and the foot latches in open position;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a right front perspective view thereof as in FIG. 1, but with the Z-lever and hasp in locked position and the foot latches in closed position.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8