



US00D356491S

# United States Patent [19]

[11] Patent Number: Des. 356,491

Anscher

[45] Date of Patent: \*\* Mar. 21, 1995

[54] STRAP FASTENER

[75] Inventor: Joseph Anscher, Muttontown, N.Y.

[73] Assignee: National Molding Corporation, Farmingdale, N.Y.

[\*\*] Term: 14 Years

[21] Appl. No.: 15,716

[22] Filed: Nov. 24, 1993

[52] U.S. Cl. D8/383

[58] Field of Search D8/383; 52/710, 699, 52/704, 705, 706, 707; 24/200, 230 R, 196, 197, 193; D29/16; D11/218

4,387,490	6/1983	Blackburn et al.	24/200
4,414,713	11/1983	Prete, jr.	24/193
4,484,379	11/1984	Appelt et al.	24/197
4,493,135	1/1985	Crook, Jr.	24/197
4,525,901	7/1985	Krauss	24/200
4,571,783	2/1986	Kasai	24/193
4,637,099	1/1987	Kasai	24/200
4,677,711	7/1987	Anscher	24/200
4,843,689	7/1989	Fildan	24/200
5,243,741	9/1993	Fudaki et al.	24/200

### FOREIGN PATENT DOCUMENTS

970611 9/1964 United Kingdom .

### OTHER PUBLICATIONS

Duraflex Catalog 1992, pp. 5-6.

Primary Examiner—Bernard Anscher  
 Assistant Examiner—Philip Hyder  
 Attorney, Agent, or Firm—Kenyon & Kenyon

[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 328,045	7/1992	Matoba	D8/383
807,150	12/1905	Boice .	
1,290,914	1/1919	Comstock, Sr. .	
1,324,629	12/1919	Tabler .	
1,911,441	5/1933	Drews ..	
1,999,167	4/1935	White	24/73
2,302,258	11/1942	Rose et al. .	
2,316,846	4/1943	Diebold	24/200
2,649,637	8/1953	Hodge	24/200
3,192,588	7/1965	White .	
3,206,816	9/1965	Vilcins et al.	24/74 A
3,349,449	10/1967	Hatfield .	
3,376,613	4/1968	Lindblad .	
3,967,347	7/1976	Bickis, Sr.	24/74
4,117,573	10/1978	Nakamura	24/74
4,171,555	10/1979	Bakker et al.	24/200
4,296,531	10/1981	Bengtsson	24/200

### [57] CLAIM

The ornamental design for a strap fastener, as shown and described.

### DESCRIPTION

FIG. 1 is a bottom view of a strap fastener showing my new design;  
 FIG. 2 is a top view of the strap fastener;  
 FIG. 3 is a front view of the strap fastener;  
 FIG. 4 is a rear view of the strap fastener;  
 FIG. 5 is a left side view of the strap fastener;  
 FIG. 6 is a bottom perspective view of the strap fastener; and,  
 FIG. 7 is a top perspective view of the strap fastener.






Figure 1




Figure 2






Figure 3




Figure 4




Figure 5




Figure 6




Figure 7