



US00D356516S

United States Patent [19]

[11] Patent Number: **Des. 356,516**

Price

[45] Date of Patent: **** Mar. 21, 1995**

[54] **SIGNALLING TRANSMITTER FOR MONITORING THE LOCATION OF PEOPLE**

5,300,921 4/1994 Hock et al. 340/573

[76] Inventor: **James R. Price**, 2317 Onondaga Ave., Placentia, Calif. 92670

FOREIGN PATENT DOCUMENTS

592642 2/1934 Germany 40/633

[**] Term: **14 Years**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **873,053**

[57] CLAIM

[22] Filed: **Apr. 24, 1992**

The ornamental design for a signalling transmitter for monitoring the location of people, as shown and described.

[52] U.S. Cl. **D10/104**

[58] Field of Search D10/104, 106, 111, 121, D10/114; D2/624, 625, 627, 628, 629; 340/539, 571, 572, 573, 689, 184; 40/633

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 229,990	1/1974	Perl	D10/114
D. 231,585	5/1974	Yoshimura	D10/114
2,006,504	7/1935	Johnson	D10/111
3,134,548	5/1964	Medina et al.	362/189
4,736,196	4/1988	McMahon .	
4,846,157	7/1989	Sears	340/573
4,885,571	12/1989	Pauley .	
4,899,134	2/1990	Wheeless .	

FIG. 1 is a perspective view of a signalling transmitter for monitoring the location of people showing my new design, with the claimed design shown in semi-closed condition;

FIG. 2 is a front elevational view thereof in the extended condition;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is an end elevational view thereof;

FIG. 5 is an end elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom view thereof.




FIG. 1.




FIG. 2.




FIG. 6.



FIG. 4.



FIG.3.



FIG.7.



FIG.5.

