



US00D356599S

United States Patent [19]

Ashner

[11] Patent Number: Des. 356,599

[45] Date of Patent: ** Mar. 21, 1995

[54] IDENTIFICATION TAG

[76] Inventor: Lisa A. Ashner, 8324 Mullen, Lenexa, Kans. 66215

[**] Term: 14 Years

[21] Appl. No.: 20,410

[22] Filed: Mar. 25, 1994

[52] U.S. Cl. D20/27

[58] Field of Search D20/10, 22, 23, 27,
D20/28, 29, 40; 40/1, 1.5, 1.6, 5, 6, 27, 299, 636,
633, 640, 658

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|------------|-------|--------|
| D. 261,905 | 11/1981 | Smith | | D20/27 |
| D. 340,261 | 10/1993 | Franklin | | D20/22 |
| 670,027 | 3/1901 | Malmberg | | 40/636 |
| 4,597,197 | 7/1986 | Strasinger | | 40/636 |
| 4,897,947 | 2/1990 | Kass-Pious | | 40/636 |

Primary Examiner—James M. Gandy

Assistant Examiner—Marcus Jackson

Attorney, Agent, or Firm—Litman, McMahon & Brown

[57] CLAIM

The ornamental design for a identification tag, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an identification tag

showing my new design; the broken lines indicating a shoe with tabs and indicia are shown for illustrative purposes only and form no part of the claimed design; FIG. 2 is an enlarged top, partially assembled, view thereof;

FIG. 3 is an enlarged top view thereof;

FIG. 4 is an enlarged left side view thereof, the right side being a mirror image thereof;

FIG. 5 is an enlarged bottom view thereof;

FIG. 6 is an enlarged front view thereof;

FIG. 7 is an enlarged rear view thereof;

FIG. 8 is a perspective view of an identification tag showing a second modified embodiment of my new design; the broken lines indicating a shoe with laces and indicia are shown for illustrative purposes only and form no part of the claimed design;

FIG. 9 is an enlarged top, partially assembled, view of said second modified embodiment;


FIG. 10 is an enlarged top view of said second embodiment;

FIG. 11 is an enlarged left side view of said second embodiment, the right side of said second embodiment being a mirror image thereof;

FIG. 12 is an enlarged bottom view of said second embodiment;

FIG. 13 is an enlarged front view of said second embodiment; and,

FIG. 14 is an enlarged rear view of said second embodiment.






Fig. 1.

Fig. 3.




Fig. 4.




Fig. 2.




Fig. 5.




Fig. 6.



Fig. 7.




Fig. 8.

Fig. 10.




Fig. 11.



Fig. 9.




Fig. 12.




Fig. 13.



Fig. 14.