



US00D356690S

United States Patent [19]

[11] Patent Number: **Des. 356,690**

Kassai

[45] Date of Patent: **** Mar. 28, 1995**

[54] **CHILD SAFETY SEAT FOR AUTOMOBILE**

5,052,750 10/1991 Takahashi et al. 297/256.15 X

[75] Inventor: **Kenzou Kassai**, Osaka, Japan

OTHER PUBLICATIONS

Best, p. 382, item #3 at top center.

[73] Assignee: **Aprica Kassai Kabushikikaisha**,
Osaka, Japan

Primary Examiner—Janice E. Seeger

[**] Term: **14 Years**

Attorney, Agent, or Firm—W. G. Fasse; W. F. Fasse

[21] Appl. No.: **18,217**

[57] CLAIM

[22] Filed: **Feb. 1, 1994**

The ornamental design for a child safety seat for automobile, as shown and described.

[30] Foreign Application Priority Data

DESCRIPTION

Aug. 3, 1993 [JP] Japan 5-23939

[52] U.S. Cl. **D6/333**

FIG. 1 is a front view of a child safety seat for automobile showing my new design;

[58] Field of Search D6/333, 334, 335;
297/250.1, 253, 254, 255, 216.1, 256.15, 256.17,
467, 487, 488

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a perspective view thereof;

FIG. 8 is a reference plan view thereof with guards on both sides of backrest turned inward; and,

FIG. 9 is a reference right side view thereof with seat body leaned for reclining.

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | | |
|------------|---------|------------------|-------|--------|
| D. 227,828 | 7/1973 | Heyl | | D6/333 |
| D. 319,543 | 9/1991 | Takahashi et al. | | D6/333 |
| D. 338,343 | 8/1993 | Grange | | D6/333 |
| D. 342,616 | 12/1993 | Gunji et al. | | D6/333 |




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

