



US00D356808S

**United States Patent** [19]  
**Nagaoka**

[11] **Patent Number: Des. 356,808**  
[45] **Date of Patent: \*\* Mar. 28, 1995**

[54] **CAMERA**

[75] **Inventor: Yasuki Nagaoka, Ohmiya, Japan**  
[73] **Assignee: Nikon Corporation, Tokyo, Japan**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 20,948**  
[22] **Filed: Apr. 5, 1994**

[30] **Foreign Application Priority Data**

Oct. 8, 1993 [JP] Japan ..... 5-30801  
[52] **U.S. Cl. .... D16/209**  
[58] **Field of Search .... D16/200-205,**  
**D16/208, 209, 216-218; 354/126, 149.11, 288**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 306,307 2/1990 Suyama et al. .... D16/209  
D. 306,453 3/1990 Tanaka et al. .... D16/209  
D. 319,452 8/1991 Shiiba ..... D16/209  
D. 329,863 9/1992 Shull et al. .... D16/209  
D. 345,989 4/1994 Akabane et al. .... D16/209

**OTHER PUBLICATIONS**

Evans Catalog, 1988-1989 p. 305y (Vivitar PS-135).

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Shapiro & Shapiro

[57] **CLAIM**

The ornamental design for a camera, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a camera showing my design, with a lens cover in the closed position; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a front perspective view thereof; and, FIG. 8 is a front perspective view thereof, with a lens cover in the open position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

