



US00D356809S

# United States Patent [19]

Suyama et al.

[11] Patent Number: Des. 356,809

[45] Date of Patent: \*\* Mar. 28, 1995

[54] CAMERA

5,258,793 11/1993 Tsuji et al. .... 354/288

[75] Inventors: Hitoshi Suyama, Yokosuka; Akira Nojima, Fussa; Arata Ono, Urawa, all of Japan

### FOREIGN PATENT DOCUMENTS

3-219223 9/1991 Japan ..... 354/288  
2249188 4/1992 United Kingdom ..... 354/288

[73] Assignee: Nikon Corporation, Tokyo, Japan

Primary Examiner—Bernard Ansher  
Assistant Examiner—Adir Aronovich  
Attorney, Agent, or Firm—Shapiro & Shapiro

[\*\*] Term: 14 Years

[21] Appl. No.: 20,369

### [57] CLAIM

[22] Filed: Mar. 25, 1994

The ornamental design for a camera, as shown and described.

### [30] Foreign Application Priority Data

### DESCRIPTION

Sep. 27, 1993 [JP] Japan ..... 5-29074

[52] U.S. Cl. .... D16/209; D16/218

[58] Field of Search ..... D16/200-212,  
D16/216-218; 354/126, 127.11, 149.11, 202,  
288

FIG. 1 is a top plan view of a camera showing our design, with a lens barrel in the retracted position and with a lens cover in the closed position;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a front perspective view thereof; and,

FIG. 8 is a front perspective view thereof, with a lens barrel in the projected position and with a lens cover in the open position.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 247,041 1/1978 Fukuda ..... D16/209  
D. 279,573 7/1985 Agou et al. .... D16/218  
D. 296,110 6/1988 Suyama et al. .... D16/209  
D. 327,896 7/1992 Yoshida et al. .... D16/209  
D. 342,961 1/1994 Hamamura ..... D16/209





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

