



US00D356843S

# United States Patent [19]

[11] Patent Number: **Des. 356,843**

Schmidt et al.

[45] Date of Patent: **\*\* Mar. 28, 1995**

[54] **GOLF CLUB HEAD**

[75] Inventors: **Glenn H. Schmidt, Malibu; Richard C. Helmstetter, Carlsbad, both of Calif.**

[73] Assignee: **Callaway Golf Company, Carlsbad, Calif.**

[\*] Notice: The portion of the term of this patent subsequent to Jan. 18, 2008 has been disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **17,271**

[22] Filed: **Jan. 10, 1994**

4,214,754	7/1980	Zebelean .
4,313,607	2/1982	Thompson .
4,332,388	6/1982	Crow .
4,432,549	2/1984	Zebelean .
4,511,145	4/1985	Schmidt .
4,681,321	7/1987	Chen et al. .
4,872,685	10/1989	Sun .
4,930,781	6/1990	Allen .
5,042,806	8/1991	Helmstetter .
5,067,715	11/1991	Schmidt et al. .
5,180,166	1/1993	Schmidt et al. .
5,240,252	8/1993	Schmidt et al. .

### FOREIGN PATENT DOCUMENTS

1476889	5/1975	United Kingdom .
2100993	1/1983	United Kingdom .
2225725	6/1990	United Kingdom .
2230459	10/1990	United Kingdom .

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 819,940, Jan. 13, 1992, Pat. No. Des. 343,434.

[52] U.S. Cl. .... **D21/214**

[58] Field of Search ..... **D21/214-220; 273/167-175**

*Primary Examiner*—Terry A. Wallace  
*Assistant Examiner*—Mitchell I. Siegel  
*Attorney, Agent, or Firm*—William W. Haefliger

### [57] CLAIM

The ornamental design for a golf club head, as shown and described.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 94,549	2/1935	Jansky .
D. 225,419	12/1972	Mills .
D. 307,783	5/1990	Iinuma .
D. 318,087	7/1991	Helmstetter .
D. 393,434	1/1994	Helmstetter et al. .... <b>D21/214</b>
1,167,106	1/1916	Palmer .
1,568,888	1/1926	Dunn .
1,582,836	4/1926	Link .
1,619,566	3/1927	Crankshaw .
1,658,581	2/1928	Tobia .
1,669,482	5/1928	Miller .
1,868,286	7/1932	Grieve .
1,916,792	7/1933	Hadden .
1,946,208	2/1934	Hampton .
2,041,676	5/1936	Gallagher .
2,087,685	7/1937	Hackney .
2,201,638	5/1940	Theibault, Sr. .
2,460,435	2/1949	Schaffer .
2,960,338	11/1960	Havey et al. .
3,212,783	10/1965	Bradley et al. .
3,761,095	9/1973	Thompson .
3,976,299	8/1976	Lawrence et al. .

#### DESCRIPTION

FIG. 1 is a perspective view showing the top, front and toe of a golf club head showing our new design;  
 FIG. 2 is a top plan view of the FIG. 1 head;  
 FIG. 3 is a front face elevation view of the FIG. 1 head;  
 FIG. 4 is a bottom plan view of the FIG. 1 head;  
 FIG. 5 is a toe and elevation view of the FIG. 1 head;  
 FIG. 6 is a heel end elevation view of the FIG. 1 head;  
 FIG. 7 is a rear elevation view of the FIG. 1 head;  
 FIG. 8 is a top plan view of a second embodiment of the golf club head having a varied face inclination;  
 FIG. 9 is a front face elevational view of the FIG. 8 head;  
 FIG. 10 is a bottom plan view of the FIG. 8 heads;  
 FIG. 11 is a toe end elevational view of the FIG. 8 head;  
 FIG. 12 is a heel end elevational view of the FIG. 8 head;  
 FIG. 13 is a rear elevational view of the FIG. 8 head;  
 FIG. 14 is a top plan view of a third embodiment configured as a 2 wood;

(Description continued on next page.)




FIG. 15 is a front face elevation view of the FIG. 14 head;

FIG. 16 is a bottom plan view of the FIG. 14 head;

FIG. 17 is a toe end elevation view of the FIG. 14 head;

FIG. 18 is a heel end elevation view of the FIG. 14 head;

FIG. 19 is a rear elevation view of the FIG. 14 head;

FIG. 20 is a top plan view of a fourth embodiment configured as a 4 wood;

FIG. 21 is a front face elevation view of the FIG. 20 head;

FIG. 22 is a bottom plan view of the FIG. 20 head;

FIG. 23 is a top end elevation view of the FIG. 20 head;

FIG. 24 is a heel end elevation view of the FIG. 20 head;

FIG. 25 is a rear elevation view of the FIG. 20 head;

FIG. 26 is a top plan view of a fifth embodiment configured as a 5 wood;

FIG. 27 is a front face elevation view of the FIG. 26 head;

FIG. 28 is a bottom plan view of the FIG. 26 head;

FIG. 29 is a toe end elevation view of the FIG. 26 head;

FIG. 30 is a heel end elevation view of the FIG. 26 head;

FIG. 31 is a rear elevation view of the FIG. 26 head;

FIG. 32 is a section taken in elevation on lines 32—32 of FIG. 16;

FIG. 33 is a section taken in elevation on lines 33—33 of FIG. 16;

FIG. 34 is a section taken in elevation on lines 34—34 of FIG. 32; and,

FIG. 35 is a section taken in elevation on lines 35—35 of FIG. 32.

FIG. 1.





FIG. 2.

FIG. 3.




FIG. 4.





FIG. 5.

FIG. 6.





FIG. 7.

FIG. 8.




FIG. 9.




FIG. 10.




FIG. 11.




FIG. 12.




FIG. 13.




FIG. 14.




FIG. 15.




FIG. 16.




FIG. 17.




FIG. 18.




FIG. 19.






FIG. 20.




FIG. 21.




FIG. 22.




FIG. 23.




FIG. 24.




FIG. 25.




FIG. 26.




FIG. 27.




FIG. 28.




FIG. 29.




FIG. 30.




FIG. 31.




FIG. 32.





FIG. 33.

FIG. 34.





FIG. 35.