



US00D357005S

# United States Patent [19]

[11] Patent Number: **Des. 357,005**

Sakai et al.

[45] Date of Patent: **\*\* Apr. 4, 1995**

[54] DISK UNIT

[75] Inventors: **Yoshiaki Sakai, Higashikurume; Daihachiro Takasu, Niiza; Kenji Matsumoto, Houya, all of Japan**

[73] Assignee: **Teac Corporation, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **16,146**

[22] Filed: **Dec. 9, 1993**

[30] **Foreign Application Priority Data**

Jun. 11, 1993 [JP] Japan ..... 5-17428

[52] U.S. Cl. .... **D14/109**

[58] Field of Search ..... D14/100, 102, 107-109; D13/162, 184, 199; 360/97.01, 97.04, 98.01, 99.01, 99.12; 361/600, 622, 724-728

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 342,061 12/1993 Ogura et al. .... D14/109  
D. 342,726 12/1993 Hirose et al. .... D14/109  
D. 345,553 3/1994 Andou et al. .... D14/109

*Primary Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—Ladas & Parry

[57] **CLAIM**

The ornamental design for a disk unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a disk unit showing our new design;  
FIG. 2 is a bottom view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a right side view thereof;  
FIG. 7 is a vertical cross sectional view thereof taken along line 7-7 the inside mechanism being omitted; and,  
FIG. 8 is a perspective view thereof.




FIG. 1




FIG. 2





FIG. 3

7-7



7-1

FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8

