



US00D357202S

# United States Patent [19]

[11] Patent Number: **Des. 357,202**

**Ozawa**

[45] Date of Patent: **\*\* Apr. 11, 1995**

[54] **FIRE DETECTOR**

D. 342,213 12/1993 Fellmann ..... D10/106

[75] Inventor: **Toshiyuki Ozawa, Sagamihara, Japan**

**OTHER PUBLICATIONS**

[73] Assignee: **Hochiki Kabushiki Kaisha, Tokyo, Japan**

Japanese Official Gazette Publication No. 818474, dated Sep. 18, 1992.

[\*\*] Term: **14 Years**

*Primary Examiner*—Susan J. Lucas  
*Assistant Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Lackenbach Siegel et al.

[21] Appl. No.: **24,887**

[22] Filed: **Jun. 23, 1994**

[57] **CLAIM**

[30] **Foreign Application Priority Data**

The ornamental design for a fire detector, as shown and described.

Dec. 28, 1993 [JP] Japan ..... 5-40332

[52] U.S. Cl. .... **D10/106**

**DESCRIPTION**

[58] Field of Search ..... D10/104, 106, 116, 121;  
340/572, 573, 628, 629, 630, 695

FIG. 1 is a perspective view of my fire detector showing a new design;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 235,629 7/1975 Steele ..... D10/106
- D. 240,120 6/1976 Pasquarette ..... D10/106
- D. 241,824 10/1976 Mackay ..... D10/106

FIG. 2 is a front elevational view thereof;  
FIG. 3 is a (right and left hand) side elevational view thereof;

FIG. 4 is a top plan view thereof (the same with a bottom plan view); and,

FIG. 5 is a rear elevational view thereof.



FIG. 1



FIG.2




FIG.3




FIG.4




FIG.5

