



US00D357203S

United States Patent [19]

[11] Patent Number: **Des. 357,203**

Ozawa

[45] Date of Patent: **** Apr. 11, 1995**

[54] **FIRE DETECTOR**

[75] Inventor: **Toshiyuki Ozawa, Sagamihara, Japan**

[73] Assignee: **Hochiki Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **24,943**

[22] Filed: **Jun. 23, 1994**

[30] **Foreign Application Priority Data**

Dec. 28, 1993 [JP] Japan 5-40331
[52] U.S. Cl. **D10/106**

[58] Field of Search D10/104, 106, 116, 121;
340/572, 573, 628, 629, 630, 695

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 235,629 7/1975 Stelle D10/106

D. 240,120 6/1976 Pasquarette D10/106
D. 319,798 9/1991 Hatano D10/106
D. 331,547 12/1992 Ogawa et al. D10/106
D. 342,213 12/1993 Fellmann D10/106

Primary Examiner—Susan J. Lucas
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Lackenbach Siegel et al.

[57] **CLAIM**

The ornamental design for a fire detector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my fire detector showing a new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a (right and left hand) side elevational view thereof;
FIG. 4 is a top plan view thereof (the same with a bottom plan view); and,
FIG. 5 is a rear elevational view thereof.




FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5

