



US00D357266S

United States Patent [19]

[11] Patent Number: **Des. 357,266**

Miura

[45] Date of Patent: **** Apr. 11, 1995**

[54] **PHOTOGRAPHIC EXPOSURE METER**

3,488,125 1/1970 Gugliotta et al. 356/224
4,636,052 1/1987 Bowsher 354/410

[75] Inventor: **Yasuhide Miura**, Tokyo, Japan

Primary Examiner—Theodore M. Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Lalos & Keegan

[73] Assignee: **Kabushiki Kaisha Sekonic**, Tokyo, Japan

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **12,422**

The ornamental design for a photographic exposure meter, as shown and described.

[22] Filed: **Aug. 31, 1993**

DESCRIPTION

[52] U.S. Cl. **D16/238**


[58] Field of Search D16/237, 238; 354/410;
356/218, 213, 224, 225, 226

FIG. 1 is a perspective view of a photographic exposure meter showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a rear side view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a front side view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 169,766 6/1953 Kerr et al. D16/238
- D. 188,774 9/1960 Akioka et al. D16/238






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7