



US00D357467S

United States Patent [19]

Sakai et al.

[11] Patent Number: **Des. 357,467**

[45] Date of Patent: **** Apr. 18, 1995**

[54] DISK UNIT

[75] Inventors: **Yoshiaki Sakai, Higashikurume; Daihachiro Takasu, Niiza; Kenji Matsumoto, Houya, all of Japan**

[73] Assignee: **Teac Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **16,181**

[22] Filed: **Dec. 9, 1993**

[30] **Foreign Application Priority Data**

Jun. 11, 1993 [JP] Japan 5-17427

[52] U.S. Cl. **D14/109**

[58] Field of Search D14/100, 102, 107-109; D13/162, 184, 199; 360/97.01, 97.04, 98.01, 98.01, 99.01, 99.12; 361/600, 622, 724-728

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 342,061 12/1993 Ogura et al. D14/109
- D. 342,726 12/1993 Hirose et al. D14/109
- D. 345,553 3/1994 Andou et al. D14/109

Primary Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Ladas & Parry

[57] **CLAIM**

The ornamental design for a disk unit, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a disk unit showing our new design;
 FIG. 2 is a bottom view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a vertical cross sectional view thereof taken along line 7-7 the inside mechanism being omitted; and,
 FIG. 8 is a perspective view thereof.




FIG. 1




FIG. 2





FIG. 3

7-7



7-7

FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8

