



US00D357541S

United States Patent [19]

Neidell

[11] Patent Number: Des. 357,541

[45] Date of Patent: ** Apr. 18, 1995

[54] CAP FOR A NURSING BOTTLE

[76] Inventor: David Neidell, 1721 Kanilworth,
Brentwood, Mo. 63144

[**] Term: 14 Years

[21] Appl. No.: 1,375

[22] Filed: Nov. 12, 1992

[52] U.S. Cl. D24/197

[58] Field of Search D24/197, 198, 199;
215/11.1, 11.2, 11.3, 11.4, 11.5, 11.6

[56] References Cited

U.S. PATENT DOCUMENTS

D. 214,146 5/1969 Ritsi D24/197
D. 237,838 11/1975 Meeker D24/197
D. 286,911 11/1986 Campbell et al. D24/197
D. 316,900 5/1991 White et al. D24/197
4,623,069 11/1986 White D24/197 X

OTHER PUBLICATIONS

Trophies Sport Center Catalog, 1958, ©1957, Modeled
Basketball, Baseball, Football and Golfball, p. 36.

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Head & Johnson

[57] CLAIM

The ornamental design for a cap for a nursing bottle, as
shown and described.

DESCRIPTION

FIG. 1 is a front view of a cap for a nursing bottle,
showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top elevational view thereof;
FIG. 5 is a bottom elevational view thereof;

The right side elevational view would be the same as
the left side elevational view in FIG. 2;

FIG. 6 is a front view of a second embodiment of my
invention;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a rear view thereof;

FIG. 9 is a top elevational view thereof;

FIG. 10 is a bottom elevational view thereof;

The right side elevational view would be the same as
the left side elevational view in FIG. 7;

FIG. 11 is a front view of a third embodiment of my
invention;

FIG. 12 is a left side elevational view thereof;

FIG. 13 is a rear view thereof;

FIG. 14 is a top elevational view thereof;

FIG. 15 is a bottom elevational view thereof;

The right side elevational view would be the same as
the left side elevational view in FIG. 12;

FIG. 16 is a front view of a fourth embodiment of my
invention;

FIG. 17 is a top elevational view thereof;

FIG. 18 is a bottom elevational view thereof;

The right and left side elevational views would be the
same as the front view shown in FIG. 16;

FIG. 19 is a front view of a fifth embodiment of my
invention;

FIG. 20 is a right side elevational view thereof;

FIG. 21 is a left side elevational view thereof;

FIG. 22 is a top elevational view thereof;

FIG. 23 is a bottom elevational view thereof;

The rear view would be the same as the front view
shown in FIG. 19;

FIG. 24 is a front view of a sixth embodiment of my
invention;


FIG. 25 is a left side elevational view thereof;

FIG. 26 is a rear elevational view thereof;

FIG. 27 is a top elevational view thereof;

FIG. 28 is a bottom elevational view thereof; and,

The right side elevational view would be the same as
the left side elevational view in FIG. 25.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 13

Fig. 12

Fig. 11




Fig. 15




Fig. 14




Fig. 16




Fig. 17




Fig. 18




Fig. 19

Fig. 20

Fig. 21




Fig. 22




Fig. 23




Fig. 26




Fig. 25




Fig. 24




Fig. 28




Fig. 27