



US00D357551S

**United States Patent** [19]  
**Schindler**

[11] **Patent Number: Des. 357,551**  
[45] **Date of Patent: \*\* Apr. 18, 1995**

[54] **TOOTH PICK**

[75] **Inventor: Paul Schindler, Degersheim, Switzerland**

[73] **Assignee: Paul Schindler AG, Degersheim, Switzerland**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 15,645**

[22] **Filed: Nov. 23, 1993**

[30] **Foreign Application Priority Data**

Jun. 22, 1993 [WO] WIPO ..... DM/026475  
[52] **U.S. Cl. .... D28/64**  
[58] **Field of Search ..... D28/64; 132/321-329; D7/300.2**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 172,481 6/1954 Simmons ..... D28/64  
D. 279,826 7/1985 Schindler ..... D28/64  
D. 301,071 5/1989 Franchi ..... D28/64  
D. 303,300 9/1989 Zarreparvar ..... D28/64  
D. 338,084 8/1993 Potti ..... D28/64  
2,756,758 7/1956 Segerblom ..... D28/64

**FOREIGN PATENT DOCUMENTS**

DM015872 2/1990 WIPO .


*Primary Examiner—Kay H. Chin*  
*Attorney, Agent, or Firm—Browdy and Neimark*

[57] **CLAIM**

The ornamental design for a tooth pick, as shown and described.

**DESCRIPTION**

FIG. 1 is a side plan view of a first embodiment of the tooth pick in accordance with the present invention; FIG. 2 is a top plan view of the first embodiment; FIG. 3 is a bottom plan view of the first embodiment; FIG. 4 is a right side view of the first embodiment; FIG. 5 is a left side view of the first embodiment; FIG. 6 is a side plan of a second embodiment of the tooth pick in accordance with the present invention; FIG. 7 is a top plan view of the second embodiment; FIG. 8 is a bottom plan view of the second embodiment; FIG. 9 is a right side view of the second embodiment; FIG. 10 is a left side view of the second embodiment; FIG. 11 is a side plan view of the third embodiment of the tooth pick in accordance with the present invention; FIG. 12 is a top plan view of the third embodiment; FIG. 13 is a bottom plan view of the third embodiment; FIG. 14 is a right side view of the third embodiment; FIG. 15 is a left side view of the third embodiment; FIG. 16 is a side plan view of a fourth embodiment of the tooth pick in accordance with the present invention; FIG. 17 is a top plan view of the fourth embodiment; FIG. 18 is a bottom plan view of the fourth embodiment; FIG. 19 is a right side view of the fourth embodiment; and, FIG. 20 is a left side view of the fourth embodiment.






FIGURE 1




FIGURE 2




FIGURE 3



FIGURE 4



FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8



FIGURE 9



FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13



FIGURE 14



FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18



FIGURE 19



FIGURE 20