



US00D357708S

# United States Patent [19]

[11] Patent Number: **Des. 357,708**

Lefeu

[45] Date of Patent: **\*\* Apr. 25, 1995**

[54] SIGN  
[75] Inventor: **Patrice S. E. Lefeu**, Compiègne, France

D. 222,711 12/1971 Simmons ..... D20/42  
D. 270,074 8/1983 Read ..... D20/42  
D. 344,983 3/1994 Wegrzyn ..... D20/42

[73] Assignee: **I.R.U. Union Internationale des Transports Routiers**, Geneva, Switzerland

### FOREIGN PATENT DOCUMENTS

005536 7/1985 France .  
1031017 6/1986 United Kingdom .

[\*\*] Term: **14 Years**  
[21] Appl. No.: **9,136**  
[22] Filed: **Jun. 4, 1993**

*Primary Examiner*—James M. Gandy  
*Assistant Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Kane, Dalsimer, Sullivan, Kurucz, Levy, Eisele & Richard

### [30] Foreign Application Priority Data

Dec. 4, 1992 [XH] Hague Agreement ..... DM/024595

[52] U.S. Cl. .... **D20/42**

[58] Field of Search ..... D20/10, 11, 36, 39, D20/40, 42; 40/1, 124, 124.2, 124.4, 585, 617, 591, 592, 593, 618, 624

### [57] CLAIM

The ornamental design for a sign, as shown and described.

### [56] References Cited


#### U.S. PATENT DOCUMENTS

D. 59,654 11/1921 Hornstein ..... D20/40  
D. 135,279 3/1943 Baines ..... D20/36

### DESCRIPTION

FIG. 1 is a front elevational view of a sign showing my new design, with the rear being flat and unornamented and with the article being of no substantial thickness; and,

FIG. 2 is a front elevational view of a second embodiment thereof, wherein the only difference resides in the information on the sign.






FIG. 1

