



US00D357741S

United States Patent [19]

[11] Patent Number: **Des. 357,741**

Magnus

[45] Date of Patent: **** Apr. 25, 1995**

[54] **ELECTRODE BRACELET FOR DETERMINING THE PHYSIOLOGICAL ELECTRIC POTENTIAL OF A PATIENTS LIMB**

[75] Inventor: **Hans F. Magnus**, Castelgabbiano, Italy

[73] Assignee: **Vega Marketing Ltd.**, London, England

[**] Term: **14 Years**

[21] Appl. No.: **3,812**

[22] Filed: **Jan. 15, 1993**

[30] **Foreign Application Priority Data**

Jul. 17, 1992 [IT] Italy T0920000I63

[52] U.S. Cl. **D24/187**

[58] Field of Search D24/167, 187, 168; 128/690, 679, 677, 681, 644, 639, 630

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 269,546	6/1983	Rogers et al.	D24/167 X
4,086,916	5/1978	Freeman et al.	128/690 X
4,096,854	6/1978	Perica et al.	128/690
4,120,294	10/1978	Wolfe	128/690 X
4,365,637	12/1982	Johnson	128/644 X
4,409,983	10/1983	Albert	128/690
4,809,700	3/1989	Castelli	128/644
4,911,169	3/1990	Ferrari	128/644 X
4,996,989	3/1991	Stundel et al.	128/644 X
5,195,522	3/1993	Pytel et al.	128/690 X
5,243,992	9/1993	Eckerle et al.	126/690

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Kane, Dalsimer, Sullivan, Kurucz, Levy, Eisele & Richard

[57] **CLAIM**

The ornamental design for an electrode bracelet for determining the physiological electric potential of a patient's limb, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an electrode bracelet for determining the physiological electric potential of a patient's limb, showing my new design;
 FIG. 2 is a right side view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a front view of a second embodiment of an electrode bracelet for determining the physiological electric potential of a patient's limb, showing my new design;
 FIG. 8 is a right side view thereof;
 FIG. 9 is a left side view thereof;
 FIG. 10 is a rear view thereof;
 FIG. 11 is a top plan view thereof;
 FIG. 12 is a bottom plan view thereof;
 FIG. 13 is a front view of a third embodiment of an electrode bracelet for determining the physiological electric potential of a patient's limb, showing my new design;
 FIG. 14 is a right side view thereof;
 FIG. 15 is a left side view thereof;
 FIG. 16 is a rear view thereof;
 FIG. 17 is a top plan view thereof; and,
 FIG. 18 is a bottom plan view thereof.




FIG. 5



FIG. 3




FIG. 1




FIG. 2



FIG. 4




FIG. 6




FIG. 11



FIG. 7




FIG. 8




FIG. 10




FIG. 12




FIG. 17



FIG. 15



FIG. 13




FIG. 14




FIG. 16





FIG. 18



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 357,741

DATED : April 25, 1995

INVENTOR(S) : Hans Friederich Magnus

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, item [30], change "T0920000I63" to --To920000163--.

Signed and Sealed this
Twenty-fourth Day of October, 1995

Attest:



BRUCE LEHMAN

Attesting Officer

Commissioner of Patents and Trademarks