



US00D357897S

United States Patent [19]

[11] Patent Number: **Des. 357,897**

Daio et al.

[45] Date of Patent: **** May 2, 1995**

[54] BATTERY WITH TERMINAL

[75] Inventors: **Fumio Daio**, Nara; **Seiichi Mizutani**, Osaka, both of Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **21,370**

[22] Filed: **Apr. 15, 1994**

[52] U.S. Cl. **D13/103**

[58] Field of Search **D13/103; 429/121, 162, 429/178; 439/823, 845, 850**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 334,559	4/1993	Okahisa et al.	D13/103
4,862,328	8/1989	Morimoto et al.	429/162 X
5,116,700	5/1992	Takeda	429/121
5,135,821	8/1992	Takemura et al.	429/121 X

FOREIGN PATENT DOCUMENTS

1090905	11/1967	United Kingdom	439/850
---------	---------	----------------------	---------

OTHER PUBLICATIONS

Batteries on p. 22 of *Allied Electronics*, catalog ©1991. Lithium coin cells on p. 31 of *Allied Electronics*, catalog ©1991.

Female quick connects on p. 81 of *Zierick* catalog. Quick disconnect terminals on pp. 30 and 31 of *Hollingsworth Terminal Catalog* printed 1977.

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a battery with terminal, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front, one end and one side of a battery with terminal showing our design; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view of said one side thereof, the opposite side being a mirror image thereof; FIG. 4 is an end view of said one end; FIG. 5 is an end view of the opposite end thereof; and, FIG. 6 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

