



US00D357906S

United States Patent [19]

[11] Patent Number: **Des. 357,906**

Fukushima

[45] Date of Patent: **** May 2, 1995**

[54] **INFRARED DATA TRANSMITTER FOR USE WITH A MICROPHONE**

[75] Inventor: **Hiroyuki Fukushima,**
Kami-Fukuoka, Japan

[73] Assignee: **Canon Kabushiki Kaisha,** Tokyo,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **10,587**

[22] Filed: **Jul. 13, 1993**

[30] **Foreign Application Priority Data**

Jan. 14, 1993 [JP] Japan 5-768

[52] U.S. Cl. **D14/107; D14/114**

[58] Field of Search **D14/114, 101, 107;**
D21/48; 359/109, 115, 142, 146, 152, 156, 180,
187-188, 189, 195, 154; 340/825.72; 348/734;
385/15, 25, 33, 53

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 232,437 8/1974 Goodale et al. D14/101 X

D. 271,220 11/1983 Fox et al. D21/48
D. 317,005 5/1991 Wickrema et al. D14/114 X
D. 317,331 6/1991 Holloway D21/48
4,717,913 1/1988 Elger 340/825.72 X
4,833,467 5/1989 Kobayashi et al. 340/825.72 X
5,351,051 9/1994 Yano et al. 340/825.72 X

Primary Examiner—James M. Gandy
Assistant Examiner—M. H. Tung
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an infrared data transmitter for use with a microphone, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an infrared data transmitter for use with a microphone showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

