



US00D357966S

United States Patent [19]

[11] Patent Number: **Des. 357,966**

Gunby

[45] Date of Patent: **** May 2, 1995**

[54] **ELECTRONIC PERSONAL PROTECTION INSTRUMENT**

5,282,481 2/1994 Ziemer 361/232 X

[76] Inventor: **William Gunby**, 2749 Biarritz Dr., Palm Beach Gardens, Fla. 33410

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris V. Coles
Attorney, Agent, or Firm—Pollock, Vande Sande & Priddy

[**] Term: **14 Years**

[21] Appl. No.: **13,905**

[57] **CLAIM**

The ornamental design for an electronic personal protection instrument, as shown and described.

[22] Filed: **Oct. 6, 1993**

[52] U.S. Cl. **D22/117**

[58] Field of Search **D22/117; D30/156; 273/84 R, 84 ES; 231/7; 361/232; 42/1.08, 1.09**


DESCRIPTION

FIG. 1 is an isometric view of an electronic personal protection device;
FIG. 2 is a top plan view thereof;
FIG. 3 is a top plan view thereof with the activating button exposed;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a front elevational view thereof;
FIG. 7 is a rear elevational view thereof; and,
FIG. 8 is a right side elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 257,171	9/1980	Henderson et al.	D22/117
D. 299,507	1/1989	Hwa	D22/117
D. 323,870	2/1992	Kaufman	D22/117
4,367,843	1/1983	Bros et al.	231/7
4,688,140	8/1987	Hammes	361/232
4,968,034	11/1990	Hsieh	361/232 X






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8