



US00D358109S

United States Patent [19]

[11] Patent Number: **Des. 358,109**

Ozawa

[45] Date of Patent: **** May 9, 1995**

[54] FIRE DETECTOR

[56] References Cited

[75] Inventor: **Toshiyuki Ozawa**, Sagamihara, Japan

U.S. PATENT DOCUMENTS

- D. 235,629 7/1975 Steele D10/106
- D. 240,120 6/1976 Pasquarette D10/106
- D. 241,824 10/1976 Mackay D10/106
- D. 342,213 12/1993 Fellmann D10/106

[73] Assignee: **Hochiki Kabushiki Kaisha**, Tokyo, Japan

Primary Examiner—Susan J. Lucas
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Lachenbach Siegal

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **24,890**

The ornamental design for fire detector, as shown and described.

[22] Filed: **Jun. 23, 1994**

DESCRIPTION

[30] Foreign Application Priority Data

FIG. 1 is a perspective view of my fire detector showing a new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof; and,
 FIG. 5 is a bottom view thereof.

- Dec. 28, 1993 [JP] Japan 5-40330
- [52] U.S. Cl. **D10/106**
- [58] Field of Search D10/104, 106, 116, 121;
340/572, 573, 628, 629, 630, 695




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5

