



US00D358126S

United States Patent [19]

[11] Patent Number: **Des. 358,126**

Sakuma et al.

[45] Date of Patent: **** May 9, 1995**

- [54] **BATTERY FOR A PORTABLE AUDIO/VIDEO DEVICE**
- [75] Inventors: **Kazuhiko Sakuma; Takayuki Aita,**
both of Fukushima, Japan
- [73] Assignee: **Sony Corporation,** Tokyo, Japan
- [**] Term: **14 Years**
- [21] Appl. No.: **20,364**
- [22] Filed: **Mar. 25, 1994**
- [30] **Foreign Application Priority Data**
Oct. 21, 1993 [JP] Japan 5-32025
- [52] U.S. Cl. **D13/103**
- [58] Field of Search **D13/103; D14/137, 138,**
D14/142; 429/96, 97, 98, 99, 100, 153
- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 295,739 5/1988 Lanci et al. D13/103
D. 328,888 8/1992 Zhu D13/103
D. 329,634 9/1992 Mizusugi et al. D13/103

- D. 344,926 3/1994 Alexandres et al. D13/103
- D. 349,484 8/1994 Kuzumoto et al. D13/103

Primary Examiner—James M. Gandy
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Jay H. Maioli

[57] CLAIM

The ornamental design for a battery for a portable audio/visual device, as shown and described.

DESCRIPTION

FIG. 1 is a top, rear, and left-side perspective view of a battery for a portable audio/video device, showing our new design;

FIG. 2 is a top, rear and left-side perspective view thereof, shown with contact shutter in the open position;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left-side elevational view thereof;

FIG. 6 is a right-side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4

