



US00D358139S

**United States Patent** [19]  
**Watanabe**

[11] **Patent Number: Des. 358,139**  
[45] **Date of Patent: \*\* May 9, 1995**

[54] **DISC DRIVE**

[75] **Inventor:** Takashi Watanabe, Ichikawa, Japan  
[73] **Assignee:** TEAC Corporation, Japan  
[\*\*] **Term:** 14 Years  
[21] **Appl. No.:** 4,173  
[22] **Filed:** Jan. 28, 1993

[30] **Foreign Application Priority Data**  
Jul. 30, 1992 [JP] Japan ..... 4-23059  
[52] **U.S. Cl.** ..... **D14/109**  
[58] **Field of Search** ..... D14/100, 107, 108, 109;  
D13/162, 184, 199; 312/208.1; 360/99.12;  
361/622, 724, 727

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 334,918 4/1993 Hirose et al. .... D14/109  
D. 340,448 10/1993 Inoue et al. .... D14/109

**OTHER PUBLICATIONS**

TEAC FD-05 Series Brochure undated.  
ALPS DF-32 Brochure, 1992.  
*Primary Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—Andrus, Sceales, Starke & Sawall

[57] **CLAIM**

The ornamental design for a disc drive, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a disc drive showing my new design;  
FIG. 2 is a bottom plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top, front and left side perspective view thereof; and,  
FIG. 8 is a sectional view thereof taken along line 8—8 of FIG. 3.




FIG. 2






FIG. 1




**FIG. 3**

8 ↖




8 ↖


**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 8**




FIG. 7

