



US00D358250S

**United States Patent** [19]  
**Crowley**

[11] **Patent Number: Des. 358,250**

[45] **Date of Patent: \*\* May 16, 1995**

[54] **ANKLE ELEMENT OF A SHOE UPPER**

3,494,054 2/1970 Lange ..... 36/50.1 X

[75] **Inventor: Kevin J. Crowley, Brentwood, N.H.**

*Primary Examiner*—Louis S. Zarfes  
*Attorney, Agent, or Firm*—Davis Hoxie Faithfull & Hapgood

[73] **Assignee: FILA U.S.A., Inc., Hunt Valley, Md.**

[\*\*] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 10,656**

The ornamental design for an ankle element of a shoe upper, as shown and described.

[22] **Filed: Jul. 14, 1993**

[52] **U.S. Cl. .... D2/972**

**DESCRIPTION**

[58] **Field of Search** ..... D2/896, 904, 905, 909,  
D2/915, 946, 972, 977, 978; 36/50.1, 72 R, 72  
B, 45, 89, 114, 132, 136


FIG. 1 is a front and right side elevational view of an ankle element of a shoe upper showing my new design; FIG. 2 is a left side view thereof; FIG. 3 is a top elevational view thereof; FIG. 4 is a bottom elevational view thereof; FIG. 5 is a front view thereof; and, FIG. 6 is a rear view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 296,492 7/1988 Brown et al. .... D2/972
- D. 298,284 11/1988 Selbiger ..... D2/972
- D. 341,697 11/1993 Pratt ..... D2/904 X
- 3,483,638 12/1969 Baso ..... D2/978 X

The broken line showing of a shoe upper and sole in the figures is for illustrative purposes only and forms no part of the claimed design.



*FIG. 1*




FIG. 2




FIG. 3





FIG. 4




FIG. 6




FIG. 5