



US00D358380S

United States Patent [19]

Sakaguchi

[11] Patent Number: **Des. 358,380**

[45] Date of Patent: **** May 16, 1995**

[54] **COMPUTER INTERFACE FOR INFRARED DATA TRANSFER**

[75] Inventor: **Hiroshi Sakaguchi**, Kyoto, Japan

[73] Assignee: **Sharp Kabushiki Kaisha**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **8,428**

[22] Filed: **May 18, 1993**

[30] **Foreign Application Priority Data**

Nov. 18, 1992 [JP] Japan 4-34032

[52] U.S. Cl. **D14/114**

[58] **Field of Search** D14/100, 107, 114, 106; D13/147, 184, 199; 361/679-687, 600, 622, 627-636; 200/5 R, 5 A, 6 R, 6 A; 360/97.01-99.12

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 317,911 7/1991 Yokoi D14/107

D. 327,260 6/1992 Davis et al. D14/107
D. 327,879 7/1992 Lou D14/107
D. 328,459 8/1992 Prince, III D14/107 X
D. 340,058 10/1993 Wetzel et al. D14/107 X

Primary Examiner—Melanie H. Tung
Attorney, Agent, or Firm—Nixon & Vanderhye

[57] **CLAIM**

The ornamental design for a computer interface for infrared data transfer, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of an computer interface for infrared data transfer according to my design;

FIG. 2 is a top plan view thereof;


FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a bottom plan view thereof.

The left side elevation of the computer interface for infrared data transfer is the mirror-image of the right side elevation as illustrated in FIG. 4.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

