



US00D358385S

United States Patent [19]

Franz

[11] Patent Number: Des. 358,385

[45] Date of Patent: ** May 16, 1995

[54] KEYCAP ASSEMBLY WITH CORNER INTEGRATED POINTING STICK FOR TYPING AND POINTING OPERATIONS IN A COMPUTER KEYBOARD

[76] Inventor: Patrick J. Franz, 1849 SE. 43rd Ave., Portland, Oreg. 97215

[**] Term: 14 Years

[21] Appl. No.: 30,317

[22] Filed: Oct. 26, 1994

Related U.S. Application Data

[63] Continuation of Ser. No. 11,676, Aug. 9, 1993.

[52] U.S. Cl. D14/115; D14/114

[58] Field of Search D14/100, 101, 106, 107, D14/115; D18/1, 2, 7, 11, 12; 235/145 A, 145 R; 200/5 A, 5 R, 6 A, 6 R; 341/22, 23; 345/167, 168, 160, 161; 364/708.1; 400/472, 479, 484-486, 488, 489, 682; 361/683

[56] References Cited

U.S. PATENT DOCUMENTS

D. 245,109	7/1977	Yoshioka	361/683 X
D. 340,696	10/1993	Barrett	D14/107 X
4,896,003	1/1990	Hsieh	200/5 A X
5,294,121	3/1994	Chiang	200/5 A X
5,343,219	8/1994	DuBosque, Jr.	200/6 A X

OTHER PUBLICATIONS

IBM Technical Disclosure Bulletin vol. 22 No. 7 Dec. 1979 *Dual Function For Upper and Lower Print Control* pp. 2663-2664.

IBM Technical Disclosure Bulletin vol. 28 No. 5 Oct. 1985 *Smart Key* pp. 1859-1860.

IBM Technical Disclosure Bulletin vol. 33 No. 9 Feb. 1991 *Enlarged Cursor Key With Trackball* pp. 428-430. Toshiba Brochure 1993 T3400CT *Computer With Pointing Device*.

Primary Examiner—Freda S. Nunn

Attorney, Agent, or Firm—Marger, Johnson, McCollom & Stolowitz

[57] CLAIM

The ornamental design for a keycap assembly with corner integrated pointing stick for typing and pointing operations in a computer keyboard, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the keycap assembly with corner integrated pointing stick for typing and pointing operations in a computer keyboard;

FIG. 2 is a front elevational view of the keycap assembly of FIG. 1;


FIG. 3 is a left side view of the keycap assembly of FIG. 1;

FIG. 4 is a right side view of the keycap assembly of FIG. 1;

FIG. 5 is a rear elevational view of the keycap assembly of FIG. 1;

FIG. 6 is a top view of the keycap assembly of FIG. 1 being disposed in a computer keyboard which shown in broken lines for illustrative purposes only and forms no part of the claimed design; and,

FIG. 7 is a bottom view of the keycap assembly of FIG. 1.






Fig. 5




Fig. 3




Fig. 2




Fig. 4




Fig. 1




Fig. 6




Fig. 7