



US00D358503S

United States Patent [19]

[11] Patent Number: **Des. 358,503**

Ginat

[45] Date of Patent: **** May 23, 1995**

[54] **ANGLED INTERIOR ARM GUEST CHAIR**

[75] Inventor: **Jonathan Ginat**, New York, N.Y.

[73] Assignee: **The Gunlocke Company**, Wayland, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **21,797**

[22] Filed: **Apr. 25, 1994**

[52] U.S. Cl. **D6/379; D6/380**

[58] Field of Search **D6/334, 370, 374, 375, D6/379, 380, 500, 501, 502; 297/411.42, 446**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 293,518	1/1988	Tonon	D6/370
D. 329,546	9/1992	Snodgrass	D6/379 X
D. 340,590	10/1993	McGuire et al.	D6/379 X
D. 349,197	8/1994	Stone et al.	D6/379

OTHER PUBLICATIONS

Interiors, Feb. 1973, p. 26, chair at top right.

Interiors, Jan. 1981, p. 29, International chair shown.

Interiors, Mar. 1984, p. 84, Hayes chair shown.

U.S. Seating Product, Mar. 1, 1989, p. 3 chair #1042 at top right.

AGI Industries, Inc., Feb. 11, 1992, chair G#6501 at left.

Primary Examiner—Alan P. Douglas

Assistant Examiner—Gary D. Watson

Attorney, Agent, or Firm—Jones, Day, Reavis & Pogue

[57] **CLAIM**

The ornamental design for an angled interior arm guest chair, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the angled interior arm guest chair;

FIG. 2 is a left side elevational view of the first embodiment of the angled interior arm guest chair, wherein the right side view is a mirror image thereof;

FIG. 3 is a front elevational view of the first embodiment of the angled interior arm guest chair;

FIG. 4 is a rear elevational view of the angled interior arm guest chair;

FIG. 5 is a top plan view of the first embodiment of the angled interior arm guest chair;

FIG. 6 is a bottom plan view of the first embodiment of the angled interior arm guest chair;

FIG. 7 is a perspective view of a second embodiment of the angled interior arm guest chair;



FIG. 8 is a left side elevational view of the second embodiment of the angled interior arm guest chair, wherein the right elevational view is a mirror image thereof;

FIG. 9 is a front elevational view of the second embodiment of the angled interior arm guest chair;

FIG. 10 is a rear elevational view of the second embodiment of the angled interior arm guest chair;

FIG. 11 is a top plan view of the second embodiment of the angled interior arm guest chair; and,

FIG. 12 is a bottom plan view of the angled interior arm guest chair.






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6

FIG. 8





FIG. 7




FIG. 10




FIG. 9




FIG. 11




FIG. 12