



US00D358550S

United States Patent [19]
Takashima

[11] **Patent Number: Des. 358,550**
[45] **Date of Patent: ** May 23, 1995**

[54] **CLOCK**

[75] **Inventor: Asao Takashima, Tokyo, Japan**

[73] **Assignee: Seikosha Co., Ltd., Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 13,595**

[22] **Filed: Sep. 27, 1993**

[52] **U.S. Cl. D10/24; D10/29**

[58] **Field of Search D10/1-40,
D10/122-132; 368/276-277, 285, 316-317**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 118,835	2/1940	Rainbault	D10/25
D. 124,831	1/1941	Bruce	D10/25
D. 137,739	4/1944	Drescher	D10/25
D. 171,478	2/1954	Babel	D10/26
D. 222,378	10/1971	Berkoff	D10/26

D. 249,873	10/1978	Zabransky	D10/26
D. 255,876	7/1980	Lubs	D10/26
D. 347,180	5/1994	Mukoyama	D10/26

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Adams & Wilks

[57] **CLAIM**

The ornamental design for a clock, as shown and described.

DESCRIPTION


FIG. 1 is a front elevational view of a clock showing my new design with the clock body and dial in a vertical position;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof, the bottom being the same in appearance as the top;

FIG. 4 is a right side elevational view thereof, the left side being the same in appearance as the right side; and,

FIG. 5 is a front elevational view thereof with the clock body and dial in an inclined position.






FIG. 1




FIG. 4




FIG. 3




FIG. 2




FIG. 5