



US00D358558S

# United States Patent [19]

[11] Patent Number: **Des. 358,558**

Isomura et al.

[45] Date of Patent: **\*\* May 23, 1995**

[54] **SATELLITE LOCATION MEASURING RECEIVER**

[75] Inventors: **Hidetoshi Isomura, Isehara; Yutaka Nakamura, Odawara; Shigeru Wakatsuka, Hatano, all of Japan**

[73] Assignee: **Sokkia Co., Ltd., Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **21,129**

[22] Filed: **Apr. 11, 1994**

[30] **Foreign Application Priority Data**

Oct. 29, 1993 [JP] Japan ..... 5-32721

[52] U.S. Cl. .... **D10/65**

[58] Field of Search ..... D10/65, 70, 75, 78; 116/DIG. 43; 342/89, 90, 91, 94, 98, 352, 353, 354, 355, 358, 417, 419, 450; 361/816, 817, 818; 364/443, 449, 450, 451, 452, 453, 454, 455, 456, 474.1

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 213,701	4/1969	Leeming, Jr. ....	D10/65
D. 227,901	7/1973	Slocum, Jr. ....	D10/75
3,115,635	12/1963	Leeming, Jr. et al. ....	D10/65 X
4,003,060	1/1977	Broce et al. ....	D10/65 X
4,410,890	10/1983	Davis et al. ....	D10/65 X

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Bacon & Thomas

[57] **CLAIM**

The ornamental design for a satellite location measuring receiver, as shown.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a satellite location measuring receiver, showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

