



US00D358751S

# United States Patent [19]

[11] Patent Number: **Des. 358,751**

**Kemp et al.**

[45] Date of Patent: **\*\* May 30, 1995**

[54] **BEVELING TOOL FOR SMOOTHING AND SHAPING CERAMIC ARTICLES**

[76] Inventors: **Jacqueline A. Kemp**, 10 Armstrong Rd., Enfield, Conn. 06082; **Robert C. Ritchie**, 55 Sunset Dr., West Suffield, Conn. 06093; **Bruno S. Smilgys**, 42 Fairfield Ave., Hartford, Conn. 06114

[\*\*] Term: **14 Years**

[21] Appl. No.: **6,882**

[22] Filed: **Apr. 9, 1993**

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 748,002, Aug. 21, 1991, abandoned.

[52] U.S. Cl. .... **D8/90; D8/14; D8/107**

[58] Field of Search ..... **D8/90, 91, 14; 29/78, 29/79, 80; 51/205 WG, 211 H, 214, 206 R; D24/133**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

1,749,632	3/1930	Ferris .....	D21/197
1,864,616	6/1932	Rayner .....	51/211 R
2,367,737	1/1945	Probst .....	51/205 WG
2,935,321	5/1960	Lhotka .....	D21/211
4,558,540	12/1985	Collins .....	51/205 WG
4,571,184	2/1986	Edwardson .....	D8/90

### OTHER PUBLICATIONS

Costal Mounted Stones, May 1966.

*Primary Examiner*—Prabhakar G. Deshmukh

*Assistant Examiner*—Philip Hyder

*Attorney, Agent, or Firm*—Fishman, Dionne & Cantor

### [57] CLAIM

The ornamental design for a beveling tool for smoothing and shaping ceramic articles, as shown and described.

### DESCRIPTION

FIG. 1 is a side elevation view of a beveling tool for smoothing and shaping ceramic articles in accordance with a first embodiment of the present design;

FIG. 2 is a top end view of the beveling tool of FIG. 1; FIG. 3 is a bottom end view of the beveling tool of FIG. 1;

FIG. 4 is a side elevation view of a beveling tool for smoothing and shaping ceramic articles in accordance with a second embodiment of the present design;

FIG. 5 is a top end view of the beveling tool of FIG. 4; FIG. 6 is a bottom end view of the beveling tool of FIG. 4;

FIG. 7 is a side elevation view of a beveling tool for smoothing and shaping ceramic articles in accordance with a third embodiment of the present design;

FIG. 8 is a top end view of the beveling tool of FIG. 7; and,

FIG. 9 is a bottom end view of the beveling tool of FIG. 7.






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8



FIG. 9