



US00D358769S

United States Patent [19]

[11] Patent Number: **Des. 358,769**

Luch et al.

[45] Date of Patent: **** May 30, 1995**

[54] CONTAINER CLOSURE

[75] Inventors: **Daniel Luch**, Los Gatos; **Richard E. Repp**, San Jose, both of Calif.

[73] Assignee: **Portola Packaging, Inc.**, a Delaware Corp., San Jose, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **883,716**

[22] Filed: **May 15, 1992**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 830,133, Jan. 31, 1992, Pat. No. 5,267,661, and a continuation-in-part of Ser. No. 784,060, Oct. 28, 1991, which is a continuation-in-part of Ser. No. 565,638, Aug. 9, 1990, Pat. No. 5,190,178.

[52] U.S. Cl. **D9/438; D9/443; D9/453**

[58] Field of Search **D9/434-440, D9/443, 445-446, 449, 451-454, 499; 215/200-201, 228, 256-257, 316-317, 1 R; 220/269-270, 276, 376**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 192,539	4/1962	Tewilliger	D9/438
D. 198,874	8/1964	Joosten	D9/443
D. 228,888	10/1973	Feldman	D9/451
D. 284,837	7/1986	Nilsson	D9/438 X
D. 286,019	10/1986	Fishman et al.	D9/449 X
D. 304,424	11/1989	Dawson	D9/453
3,013,687	12/1961	Gould	D9/438 X
3,220,589	11/1965	Rebert	D9/438 X
3,465,910	9/1969	Richie	D9/438 X

3,583,591	6/1971	Hayashida	D9/454 X
3,902,621	9/1975	Hidding	215/216
3,980,195	9/1976	Fillmore	215/256
4,241,841	12/1980	Boller	215/252
4,385,708	5/1983	Curry	215/256
4,548,329	10/1985	Curry	215/256
4,625,875	12/1986	Carr	215/232
4,844,268	7/1989	Bullock	215/256
4,934,546	6/1990	Markley	215/256
5,213,224	5/1993	Luch	215/256

FOREIGN PATENT DOCUMENTS

0118267	of 0000	European Pat. Off.	B65D 41/34
2105693A	of 0000	United Kingdom	B65D 55/12

OTHER PUBLICATIONS

"Artmold Caps" Ad, Armstrong's Molded, Metal and Cork Closures Catalog, 1948, p. 14.

Primary Examiner—Alan P. Douglas

Assistant Examiner—R. Spear

Attorney, Agent, or Firm—Julian Caplan; Flehr, Hohbach, Test, Albritton & Herbert

[57] CLAIM

The ornamental design for a container closure, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a container closure showing our new design;



FIG. 2 is a bottom plan view thereof;

FIG. 3 is a left side elevational view thereof, the right side elevational view being a mirror image thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a front elevational view thereof partially broken away to reveal internal design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6