



US00D358828S

United States Patent [19]

[11] Patent Number: **Des. 358,828**

Jannard et al.

[45] Date of Patent: **** May 30, 1995**

[54] **LENS AND CONNECTORS**

[75] Inventors: **James H. Jannard, San Juan Capistrano; George Tackles, Lake Elsinore, both of Calif.**

[73] Assignee: **Oakley, Inc., Irvine, Calif.**

[**] Term: **14 Years**

[21] Appl. No.: **13,313**

[22] Filed: **Sep. 22, 1993**

2,444,498	7/1948	Cochran .
2,472,731	6/1949	Splaine .
2,561,402	7/1951	Nelson .
2,582,345	1/1952	Moeller .
2,949,638	8/1960	Butler .
3,066,573	12/1962	Moeller .
3,425,774	2/1969	Lindblom .
3,475,083	10/1969	Gitlin et al. .
3,517,393	6/1970	Beauchef .
3,565,517	2/1971	Gitlin et al. .
3,684,356	8/1972	Bates .
3,744,887	7/1973	Dunbar .
4,674,851	6/1987	Jannard .
4,730,915	3/1988	Jannard .
4,824,233	4/1989	Jannard .
4,867,550	9/1989	Jannard .
5,054,903	10/1991	Jannard et al. .

Related U.S. Application Data

[62] Division of Ser. No. 825,400, Jan. 29, 1992, Pat. No. Des. 342,959.

[52] U.S. Cl. **D16/101; D16/314**

[58] Field of Search **D16/101, 300, 313-316, D16/326; 351/44, 47, 83, 103, 106, 111-112, 114, 120, 123**

Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 145,288 7/1946 Di Cicco .
- D. 163,869 7/1951 Hinman .
- D. 178,178 7/1956 Fleming .
- D. 204,496 4/1966 McCulloch et al. .
- D. 230,439 2/1974 Rabuse .
- D. 232,983 10/1974 Rabuse .
- D. 280,994 10/1985 Abate .
- D. 293,450 12/1987 Jannard .
- D. 322,975 1/1992 Bolle .
- D. 323,333 1/1992 Jannard et al. .
- D. 324,528 3/1992 Jannard .
- D. 325,040 3/1992 Jannard .
- D. 328,468 8/1992 Jannard .
- D. 329,442 9/1992 Jannard .
- D. 329,445 9/1992 Jannard .
- 1,338,880 5/1920 Stevens .
- 2,027,037 1/1936 Gottlieb .
- 2,031,771 2/1936 Grier .
- 2,108,074 2/1938 McMahon .
- 2,288,423 6/1942 Root .
- 2,397,243 3/1943 Cooper .


[57] **CLAIM**

The ornamental design for lens and connectors, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lens and connectors;
 FIG. 2 is a front elevational view of the lens and connectors of FIG. 1;
 FIG. 3 is a top plan view of the lens and connectors of FIG. 1;
 FIG. 4 is a rear elevational view of the lens and connectors of FIG. 1;
 FIG. 5 is a bottom plan view of the lens and connectors of FIG. 1; and,
 FIG. 6 is a left side elevational view of the lens and the left connector of FIG. 1.

The lens is shown separately in FIGS. 1-6 for ease of illustration only. The broken lines in FIGS. 1 and 6 are for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2

