



US00D358845S

# United States Patent [19]

[11] Patent Number: **Des. 358,845**

Mori

[45] Date of Patent: \*\* May 30, 1995

[54] PUNCH

792925 7/1990 Japan .  
874352 8/1993 Japan .

[75] Inventor: **Chuzo Mori**, Tokyo, Japan

[73] Assignee: **Carl Jimuki Kabushiki Kaisha**,  
Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **17,279**

[22] Filed: **Jan. 10, 1994**

### [30] Foreign Application Priority Data

Sep. 17, 1993 [JP] Japan ..... 5-28102

[52] U.S. Cl. .... **D19/72; D19/65**

[58] Field of Search ..... **D8/98; D19/65, 72, 95,**  
**D19/99, 100; 83/166, 167, 454, 465, 467, 468,**  
**560, 588, 618, 620, 633, 698**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 132,970	7/1942	Budlong .....	D19/72
D. 251,600	4/1979	MacGregor .....	D19/72
D. 256,479	8/1980	Manusch .....	D19/72
D. 289,776	5/1987	Goertz et al. ....	D19/72
D. 300,332	3/1989	Mori .....	D19/72
D. 349,301	8/1994	Mori .....	D19/72
4,594,927	6/1986	Mori .....	83/588 X
4,688,457	8/1987	Neilson et al. ....	83/618 X
4,713,995	12/1987	Davi .....	83/167

#### FOREIGN PATENT DOCUMENTS

7265474	3/1988	Japan .
776751	12/1989	Japan .

### OTHER PUBLICATIONS

Jacobs Gardner ©1991, see p. 789; item C, lower left.  
Jacobs Gardner ©1991, see p. 791, item E, lower left.


*Primary Examiner*—Martie Thompson  
*Attorney, Agent, or Firm*—Oliff & Berridge

### [57] CLAIM

The ornamental design for punch, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevational view of a punch showing my new design;  
FIG. 2 is a rear view of the punch of FIG. 1;  
FIG. 3 is a top plan view of the punch of FIG. 1;  
FIG. 4 is a bottom view of the punch of FIG. 1;  
FIG. 5 is a right-side view of the punch of FIG. 1;  
FIG. 6 is a left-side view of the punch of FIG. 1;  
FIG. 7 is a perspective view of the punch in an open condition;  
FIG. 8 is a perspective view of the punch in a closed position;  
FIG. 9 is a perspective view of the punch with a paper guide extended;  
FIG. 10 is a perspective view with the paper guide extended in an opposite direction from that of FIG. 9; and,  
FIG. 11 is a perspective view of the punch in a state where a waste receptacle is open.








FIG. 1




FIG. 2






FIG. 3




FIG. 4






FIG. 5




FIG. 6





FIG. 7




FIG. 8






FIG. 9




FIG. 10






FIG. 11