



US00D358895S

United States Patent [19]

[11] Patent Number: **Des. 358,895**

Holbl

[45] Date of Patent: **** May 30, 1995**

[54] **MICROTOME**

[56] **References Cited**

[75] Inventor: **Werner Holbl, Vienna, Austria**

U.S. PATENT DOCUMENTS

[73] Assignee: **Leica Instruments GmbH, Nussloch, Germany**

D. 328,793	8/1992	Holbl	D24/216
3,204,424	9/1965	McCormick et al.	83/915.5 X
3,212,379	10/1965	McCormick et al.	D24/216 X
3,233,965	2/1966	McCormick	83/915.5 X
4,548,051	10/1985	Moessner	62/320
4,979,376	12/1990	Biehl et al.	62/264

[*] Notice: The portion of the term of this patent subsequent to Mar. 3, 2006 has been disclaimed.

Primary Examiner—A. Hugo Word
Assistant Examiner—Ian Simmons
Attorney, Agent, or Firm—Bean, Kauffman & Spencer

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **702,672**

The ornamental design for a microtome, as shown.


[22] Filed: **May 20, 1991**

DESCRIPTION

[30] **Foreign Application Priority Data**

FIG. 1 is a front, right, top perspective view of a microtome showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a left side elevational view.

Nov. 23, 1990 [DE] Germany 90 07 816.0
[52] U.S. Cl. D24/216
[58] Field of Search D24/216; 62/248, 264, 62/320, DIG. 10; 83/915.5






Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5




Fig. 7




Fig. 6