



US00D358967S

United States Patent [19]

[11] Patent Number: **Des. 358,967**

Knighton

[45] Date of Patent: **** Jun. 6, 1995**

[54] **HOLDER FOR A DRINK CONTAINER OR SNACK FOOD**

4,957,254 9/1990 Hill et al. .
4,993,611 2/1991 Longo .
5,042,770 8/1991 Louthan .
5,048,734 9/1991 Long .

[75] Inventor: **Lance J. Knighton**, Hamilton, New Zealand

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Noel William Signal**, New Zealand

216880 1/1958 Australia .
545776 9/1981 Australia .
0176241A1 4/1986 European Pat. Off. .
320794A2 6/1989 European Pat. Off. .
0433543A2 6/1991 European Pat. Off. .
2566720 1/1986 France .
1-317839 12/1989 Japan .
2-169339 6/1990 Japan .
127321 5/1963 New Zealand .
24171 6/1992 New Zealand .
24172 6/1992 New Zealand .

[**] Term: **14 Years**

[21] Appl. No.: **23,073**

[22] Filed: **May 16, 1994**

Related U.S. Application Data

[63] Continuation of Ser. No. 3,457, Jan. 6, 1993, abandoned.

[30] Foreign Application Priority Data

Jul. 6, 1992 [NZ] New Zealand 24609

[52] U.S. Cl. **D7/620**

[58] Field of Search **D3/40; D7/619-625, D7/701-708; 211/74-75; 224/226, 251, 253, 901; 220/737; 248/311.2, 214, 313; 297/188, 194; D9/455**

OTHER PUBLICATIONS

"Auto Performers", 1 page brochure-undated. cup holders.

Primary Examiner—Terry A. Wallace
Attorney, Agent, or Firm—Willian Brinks Hofer Gilson & Lione

[56] References Cited

U.S. PATENT DOCUMENTS

D. 226,623 4/1973 Shuford .
D. 306,544 3/1990 Anderson .
1,915,958 6/1933 Skirrow .
2,628,054 2/1953 Fazakerley .
4,401,245 8/1983 Zills .
4,557,452 12/1985 Khuong .
4,655,425 4/1987 Wallace et al. .
4,708,273 11/1987 Grant .
4,767,092 8/1988 Weatherly .
4,779,831 10/1988 Anderson .
4,802,602 2/1989 Evans et al. .
4,865,237 9/1989 Allen .
4,951,910 8/1990 March .

[57] CLAIM

The ornamental design for a holder for a drink container or snack food, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a holder for a drink container or snack food showing my new design;
FIG. 2 is a front perspective view thereof in an alternate position;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

