



US00D358985S

United States Patent [19]

[11] Patent Number: **Des. 358,985**

Rubin

[45] Date of Patent: **** Jun. 6, 1995**

[54] COMPARTMENTED BOTTLE

4,196,808 4/1980 Pardo .

[76] Inventor: **Gary V. Rubin**, 9403 N. Neenah, Morton Grove, Ill. 60053

OTHER PUBLICATIONS

Kimble Laboratory Glassware, Mar. 1962, p. 113, flask #26560.

[**] Term: **14 Years**

Primary Examiner—Lucy J. Lieberman
Attorney, Agent, or Firm—Patula & Associates

[21] Appl. No.: **8,241**

[22] Filed: **May 12, 1993**

[52] U.S. Cl. **D9/341; D7/596; D7/598; D9/502; D9/503; D9/524; D9/538**

[57] CLAIM

[58] Field of Search **D9/341, 347, 500, 502, D9/503, 537, 538, 539, 540, 557, 558, 515, 524; 215/1 R, 1 C, 6; D7/591, 596, 597, 598**

The ornamental design for a compartmented bottle, as shown and described.

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 36,455	7/1903	Kochs	D9/500
D. 36,480	8/1903	Gordon	D9/500
D. 117,266	10/1939	Gerhart	D9/500
D. 123,103	10/1940	Murray .	
D. 130,075	10/1941	Randall	D9/502
D. 136,224	8/1943	Hector	D9/526
D. 159,531	8/1950	Polime .	
D. 189,938	3/1961	Heintze .	
D. 190,101	4/1961	Mangini	D9/341
D. 263,118	2/1982	Weckman .	
D. 280,599	9/1985	Green .	
D. 288,526	3/1987	Parad .	
D. 289,855	5/1987	Carlson .	
D. 301,688	6/1989	Green .	
D. 319,970	9/1981	Beeman .	
D. 323,108	1/1992	Green .	
D. 342,022	12/1993	Pritchard	D9/341
825,680	7/1906	Raymond .	
3,076,573	2/1963	Thomas .	
3,197,071	7/1965	Kuster	215/6
3,337,073	8/1967	Angelo .	
4,189,057	2/1980	Morille .	

FIG. 1 is a front elevation of a compartmented bottle showing my new design, the rear elevation is the same; FIG. 2 is a side elevation thereof, the opposite side elevation is the same; FIG. 3 is a top plan view; FIG. 4 is a bottom plan view; FIG. 5 is a front elevation of a second embodiment of the compartmented bottle, the rear elevation is the same; FIG. 6 is a side elevation of FIG. 5, the opposite side elevation is the same; FIG. 7 is a top plan view of FIG. 5; FIG. 8 is a bottom plan view of FIG. 5; FIG. 9 is a front elevation of a third embodiment of the compartmented bottle, the rear elevation is the same; FIG. 10 is a side elevation of FIG. 9, the opposite side elevation is the same; FIG. 11 is a top plan view of FIG. 9; FIG. 12 is a bottom plan view of FIG. 9; FIG. 13 is a top plan view of FIG. 1 with one side of the cap shown in the open position; and, FIG. 14 is a top plan view of FIG. 9 with one side of the cap shown in the open position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14

