



US00D359208S

United States Patent [19]

[11] Patent Number: **Des. 359,208**

Ivey

[45] Date of Patent: **** Jun. 13, 1995**

[54] **WIRE INSERTER TOOL**

4,491,788 1/1985 Zandonatti 294/1.1 X
5,265,326 11/1993 Scribner 29/278 X

[75] Inventor: **David E. Ivey**, Hants, United Kingdom

[73] Assignee: **Mod-TAP W Corporation**, Harvard, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **13,957**

[22] Filed: **Oct. 7, 1993**

[30] **Foreign Application Priority Data**

Apr. 7, 1993 [GB] United Kingdom UK 2030311

[52] U.S. Cl. **D8/14**

[58] Field of Search D8/14, 21, 28, 29, 499;
29/270, 278, 735, 758, 764; 81/488; 294/1.1

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 264,300 5/1982 Imm D8/28
789,941 5/1905 Sibley 29/270
3,279,044 10/1966 Roper 29/278 X

OTHER PUBLICATIONS

Krone's 25-Pair FT Module Combines High-Density Termination with Ease of Installation.
Krone, Installation Instructions.


Primary Examiner—Terry A. Wallace
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Hamilton, Brook, Smith & Reynolds

[57] **CLAIM**

The ornamental design for a wire inserter tool, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a wire inserter tool showing my new design;
FIG. 2 is a side elevation view thereof, the opposite side being a mirror image;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a bottom plan view thereof; and,
FIG. 5 is a top plan view thereof.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.