



US00D359209S

United States Patent [19]
Carey

[11] **Patent Number: Des. 359,209**
[45] **Date of Patent: ** Jun. 13, 1995**

[54] **BLADE TIP FOR AN AUTOMOBILE GLASS MOLDING AND GASKET REMOVAL TOOL**
[76] Inventor: **Allan Carey, 7229-212th SW. Ste. A, Edmonds, Wash. 98026**
[**] Term: **14 Years**
[21] Appl. No.: **8,605**
[22] Filed: **May 20, 1993**

Related U.S. Application Data

[63] Continuation of Ser. No. 618,320, Nov. 26, 1990, abandoned.
[52] U.S. Cl. **D8/20**
[58] Field of Search **D8/98, 99, 20; 30/280, 30/294, 314**

References Cited

U.S. PATENT DOCUMENTS

D. 171,522	2/1954	Zimmerman		D8/20
D. 242,980	1/1977	Fuller et al.		D8/20
D. 245,831	9/1977	West et al.		D8/20
978,153	12/1910	Hahn		30/280
2,238,222	4/1941	Jones		30/280
3,596,356	8/1971	O'Neal		30/280
3,841,414	10/1974	Perkins		30/314
4,274,826	6/1981	Huey et al.		30/294
4,700,478	10/1987	Mezger et al.		30/294

4,819,531 4/1989 Lawhon 30/314

OTHER PUBLICATIONS

Snap on Tools Catalog, 1979, p. 215, N Windshield Removal Tool.
Primary Examiner—Theodore M. Shooman
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Joseph Chalverus

[57] **CLAIM**

The ornamental design for a blade tip for an automobile glass molding and gasket removal tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a blade tip for an automobile glass molding and gasket removal tool showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is an enlarged perspective view of the blade tip.
The broken line showing of the automobile glass molding and gasket removal tool is for illustrative purposes only and forms no part of the claimed design.





FIG. 1

FIG. 8






FIG. 2

FIG. 3




FIG. 5




FIG. 4

