



US00D359216S

United States Patent [19]

[11] Patent Number: **Des. 359,216**

Kozak

[45] Date of Patent: **** Jun. 13, 1995**

[54] **INSULATED FLEXIBLE ROTARY TOOL**

Primary Examiner—Alan P. Douglas

Assistant Examiner—J. H. Musgrove

[76] Inventor: **Burton Kozak**, c/o Eazypower Corporation, 4006 W. Belden, Chicago, Ill. 60639

Attorney, Agent, or Firm—Marshall, O'Toole, Gerstein, Murray & Borun

[**] Term: **14 Years**

[57] **CLAIM**

The ornamental design for an insulated flexible rotary tool, as shown and described.

[21] Appl. No.: **742,939**

DESCRIPTION

[22] Filed: **Aug. 9, 1991**

[52] U.S. Cl. **D8/70**

[58] Field of Search D8/61, 70; 81/177.6, 81/57, 43

FIG. 1 is a front elevational view of an insulated flexible rotary tool showing my new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top elevational view taken along the lines 5—5 of FIG. 1;


FIG. 6 is a bottom elevational view taken along the lines 6—6 of FIG. 1; and,

FIG. 7 is a perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 260,355	8/1981	Buzzell	D8/70
4,730,960	3/1988	Lewis et al.	81/177.6
4,876,929	10/1989	Kozak	81/57.43






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7