



US00D359247S

United States Patent [19]

[11] Patent Number: **Des. 359,247**

Bushey

[45] Date of Patent: **** Jun. 13, 1995**

[54] FUSE INTEGRITY INDICATOR

4,906,963 3/1990 Ackermann 337/267

[76] Inventor: **James T. Bushey**, 45 Dixie Dr.,
Ozark, Ala. 36360

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **16,438**

The ornamental design for a fuse integrity indicator, as shown and described.

[22] Filed: **Dec. 16, 1993**

DESCRIPTION

[52] U.S. Cl. **D10/77**

FIG. 1 is a front, top and side perspective view of the fuse integrity indicator embodying the design of the present invention;

[58] Field of Search D10/77; 324/550;
340/638, 639; 337/146, 255, 264; 361/36, 113;
439/621, 830

FIG. 2 is a front elevational view thereof, the rear being a mirror image of the front shown in FIG. 2;

FIG. 3 is an end elevational view thereof;

FIG. 4 is an end elevational view thereof;

FIG. 5 is a top plan view thereof; and,


FIG. 6 is a bottom plan view thereof.

The broken line showing of the housing is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,157,486	6/1979	Fegley	340/638	X
4,204,182	5/1980	Knapp	337/267	
4,514,723	4/1985	Leal	340/639	X
4,518,957	5/1985	Wheeler	340/639	
4,766,408	8/1988	Cameron	337/267	






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6