



US00D359280S

United States Patent [19]
Inaba

[11] **Patent Number: Des. 359,280**

[45] **Date of Patent: ** Jun. 13, 1995**

[54] **BARCODE READER**

[56] **References Cited**

U.S. PATENT DOCUMENTS

[75] **Inventor: Toshiya Inaba, Tokyo, Japan**

D. 318,658 7/1991 Stoddard, III et al. D14/116

D. 349,109 7/1994 Karlin D14/116

D. 352,936 11/1994 Karlin D14/116

D. 352,937 11/1994 Karlin D14/116

5,229,590 7/1993 Harden et al. 235/472

[73] **Assignee: Asahi Kogaku Kogyo Kabushiki Kaisha, Tokyo, Japan**

Primary Examiner—Melanie H. Tung
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 17,778**

The ornamental design for a barcode reader, as shown.

[22] **Filed: Jan. 21, 1994**

DESCRIPTION

[30] **Foreign Application Priority Data**

Jul. 24, 1993 [JP] Japan 5-22716

[52] **U.S. Cl. D14/116**

[58] **Field of Search D14/114, 116; 235/375, 235/378, 385, 454, 462, 472, 486; 354/80-82; 382/58-69; 250/203.1, 216, 566, 568**

FIG. 1 is a perspective view of the top, front and one side of a barcode reader showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view of an opposite side thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

