



US00D359313S

United States Patent [19]
Hashman

[11] **Patent Number: Des. 359,313**
[45] **Date of Patent: ** Jun. 13, 1995**

[54] **AIR SUPPORTED STILT**
[76] **Inventor: Edward E. Hashman, 611 Haggard Dr., Sevierville, Tenn. 37862**
[**] **Term: 14 Years**
[21] **Appl. No.: 9,318**
[22] **Filed: Jun. 10, 1993**
[52] **U.S. Cl. D21/72**
[58] **Field of Search D21/72; 482/75, 76; 36/116, 113, 81; 623/28**

3,058,120 10/1962 Smith et al. 482/75
3,255,464 6/1966 Jones D21/72
4,415,063 11/1983 Hutchison .
4,449,256 5/1984 Prueitt .
4,569,516 2/1986 Masterson .

Primary Examiner—Terry A. Wallace
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**


The ornamental design for air supported stilt, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and side perspective view of the air supported stilt showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS

76,465	4/1868	Jordan	482/75
1,575,847	3/1926	King	D21/72
2,351,145	6/1944	Pearson	D21/72
2,783,997	3/1957	Gaffney et al.	482/75
2,802,217	8/1957	Wilhoite	482/75
2,832,079	4/1958	Bailey	482/75
2,835,493	5/1958	Skaggs et al.	D21/72






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7