



US00D359335S

United States Patent [19]

[11] Patent Number: **Des. 359,335**

Cartwright

[45] Date of Patent: **** Jun. 13, 1995**

[54] **DRILL BIT FOR REMOVING AND REPLACING SPIKES ON GOLF SHOES**

5,123,313 6/1992 Andersson 81/121.1 X
5,272,943 12/1993 Edwards 81/176.15 X

[76] Inventor: **Dale L. Cartwright**, 9304 Crystal View Dr., Tujunga, Calif. 91042

Primary Examiner—Terry A. Wallace
Assistant Examiner—Mitchell I. Siegel
Attorney, Agent, or Firm—Hugh E. Smith

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **4,660**

The ornamental design for a drill bit for removing and replacing spikes on golf shoes, as shown and described.

[22] Filed: **Feb. 10, 1993**

DESCRIPTION

[52] U.S. Cl. **D21/234; D8/86**

[58] Field of Search **D8/86; D21/234; D15/139; 36/127, 134; 292/292; 81/176.15, 177.1**

FIG. 1 is a front elevational view of the drill bit for removing and replacing spikes on golf shoes showing my new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 83,321	2/1931	Friedman	D8/29
D. 318,997	8/1991	Baker	D8/29
D. 341,757	11/1993	Folkrod	D8/14
D. 343,558	1/1994	Latraverse et al.	D21/234 X
3,140,625	7/1964	Pannozzo	81/176.15 X

FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a cross section taken on line 7—7 of FIG. 5; and,
FIG. 8 is a front perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

