



US00D359374S

# United States Patent [19]

[11] Patent Number: **Des. 359,374**

Weinstock

[45] Date of Patent: **\*\* Jun. 13, 1995**

## [54] LIGHT FIXTURE

[75] Inventor: **Stephen P. Weinstock**, St. Louis, Mo.

[73] Assignee: **International Lighting Manufacturing Company**, St. Louis, Mo.

[\*\*] Term: **14 Years**

[21] Appl. No.: **12,571**

[22] Filed: **Sep. 3, 1993**

[52] U.S. Cl. .... **D26/80**

[58] Field of Search ..... **D26/72, 80-92, D26/24, 75, 76, 77, 78; 362/147, 404, 220-225, 227, 235, 236, 237, 238, 240, 249**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 270,481	9/1983	Whitright	.....	D26/24
D. 278,937	5/1985	Peeler et al.	.....	D26/24 X
D. 299,549	1/1989	Macaluso	.....	D26/29
D. 307,806	5/1990	Byar et al.	.....	D26/37
D. 312,136	1/1990	Miletich et al.	.....	D26/24
D. 313,863	1/1991	Macaluso	.....	D26/29
1,239,672	9/1917	Dahl	.....	362/235 X
2,482,430	9/1949	Noel	.....	362/250 X
3,803,396	4/1974	Damico	.....	240/2 R
4,251,855	2/1981	Radek	.....	362/151
4,454,569	6/1984	Maguire	.....	362/127
4,507,716	3/1985	Benedict, Jr.	.....	362/295
4,748,545	5/1988	Schmitt	.....	362/219
4,748,548	5/1988	Barton	.....	362/249
4,764,851	8/1988	Hartmann	.....	362/74
4,872,099	10/1989	Kelley et al.	.....	362/295
5,031,083	7/1991	Claesson	.....	362/249
5,050,047	9/1991	Viner et al.	.....	362/32
5,113,329	5/1992	Lin	.....	362/238
5,205,637	4/1993	Caspari	.....	362/109

### OTHER PUBLICATIONS

CSL Lighting Mfg., Mitelite TM Information Sheet, 1 page, Prior to Sep. 3/93, but admitted prior art, Valencia, Calif.

Axis Lighting, Information Sheet, 1 page, but admitted prior art, Brooklyn, N.Y. (Prior to Sep. 3/93).

Information Sheet on "Minilites Collection", manufacturer unknown, but admitted prior art (Prior To Sep. 3/93).

Harry Gitlin Lighting Ad, Ceiling Lighting Fixture, #2101S.

Interiors, 4/1988, p. 173, Roxter "Mity Lite" halogen lamp.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Senniger, Powers, Leavitt & Roedel

## [57] CLAIM

The ornamental design for a light fixture, as shown and described.

## DESCRIPTION

FIG. 1 is a bottom perspective view of a light fixture of a first preferred embodiment showing my new design; FIG. 2 is a bottom plan view thereof;

FIG. 3 is a right end elevational view thereof, the left end elevational view being a mirror image of the right end elevational view;

FIG. 4 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view of a second preferred embodiment;

FIG. 7 is a right end elevational view thereof, the left end elevational view being a mirror image of the right end elevational view;

FIG. 8 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view of a third preferred embodiment;

FIG. 11 is a right end elevational view thereof, the left end elevational view being a mirror image of the right end elevational view;

FIG. 12 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view;

FIG. 13 is a top plan view thereof;

FIG. 14 is a bottom perspective view of a fourth preferred embodiment;

(List continued on next page.)




FIG. 15 is a bottom plan view thereof;  
FIG. 16 is a right end elevational view thereof, the left end elevational view being a mirror image of the right end elevational view;  
FIG. 17 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view;  
FIG. 18 is a top plan view thereof;  
FIG. 19 is a bottom plan view of a fifth preferred embodiment;  
FIG. 20 is a right end elevational view thereof, the left end elevational view being a mirror image of the right end elevational view;

FIG. 21 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view;  
FIG. 22 is a top plan view thereof;  
FIG. 23 is a bottom plan view of a sixth preferred embodiment;  
FIG. 24 is a right end elevational view thereof, the left end elevational view being a mirror image of the right end elevational view;  
FIG. 25 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view; and,  
FIG. 26 is a top plan view thereof.




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 16




FIG. 15




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 25



FIG. 24




FIG. 26

