



US00D359387S

United States Patent [19]

[11] Patent Number: **Des. 359,387**

Van Noy

[45] Date of Patent: **** Jun. 20, 1995**

[54] **SHOE UPPER**

2,147,197 2/1939 Glidden 36/45
5,243,772 9/1993 Francis et al. 36/114

[75] Inventor: **Allen W. Van Noy, Beaverton, Oreg.**

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Nike, Inc., Beaverton, Oreg.**

1017946 10/1957 Germany 36/50.1

[**] Term: **14 Years**

OTHER PUBLICATIONS

[21] Appl. No.: **29,457**

NIKE FALL 1993 Footwear Catalog, pp. 8, 28, published Dec. 1992.

[22] Filed: **Oct. 6, 1994**

[52] U.S. Cl. **D2/969**

[58] Field of Search 36/45, 83, 84, 89, 102-107, 36/113, 114, 116; D2/869, 902, 969, 970

Primary Examiner—Doris V. Coles
Attorney, Agent, or Firm—Banner, Birch, McKie and Beckett

[57] CLAIM

[56] **References Cited**

The ornamental design for a shoe upper, as shown and described.


U.S. PATENT DOCUMENTS

DESCRIPTION

- D. 290,901 7/1987 Tong et al. .
- D. 291,501 8/1987 Tong .
- D. 294,422 3/1988 Gamm .
- D. 295,689 5/1988 Diaz et al. D2/969
- D. 295,916 5/1988 Selbiger .
- D. 297,281 8/1988 Lussier .
- D. 298,082 10/1988 Selbiger et al. .
- D. 298,982 12/1988 Lussier .
- D. 308,745 6/1990 Brown D2/969
- D. 320,689 10/1991 Smith .
- D. 330,795 11/1992 Ringel et al. D2/969
- D. 332,521 1/1993 McDonald .
- D. 345,253 3/1994 Lucas D2/969
- D. 346,272 4/1994 Cessor D2/970
- D. 350,022 8/1994 Bell et al. D2/969

FIG. 1 is a side elevational view of one side of a shoe upper showing my new design;
 FIG. 2 is a side elevational view of the other side of the shoe upper shown in FIG. 1;
 FIG. 3 is a front elevational view of the shoe upper shown in FIG. 1;
 FIG. 4 is a rear elevational view of the shoe upper shown in FIG. 1; and,
 FIG. 5 is a top plan view of the shoe upper shown in FIG. 1.

The broken line showing of a shoe sole is for illustrative purposes and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5