



US00D359502S

# United States Patent [19] Hicks

[11] Patent Number: **Des. 359,502**  
[45] Date of Patent: **\*\* Jun. 20, 1995**

[54] SAFETY GOGGLE  
[76] Inventor: **William P. Hicks**, 932 Oak La.,  
Clarksville, Tenn. 37040  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **18,348**  
[22] Filed: **Feb. 4, 1994**

3,825,953 7/1974 Hunter ..... 2/437  
3,936,567 2/1976 Vesely .  
4,021,878 5/1977 Peillex ..... 351/158  
4,150,681 4/1979 Howarth, Jr. .  
4,342,128 8/1982 Doyle .  
4,435,852 3/1984 Nesler ..... 2/436  
4,443,893 4/1984 Yamamoto ..... 2/436  
5,016,293 5/1991 Lickle ..... 2/436

*Primary Examiner*—Terry A. Wallace  
*Assistant Examiner*—R. Barkai

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 817,830, Jan. 8, 1992,  
abandoned.  
[52] U.S. Cl. .... **D16/311; D16/313**  
[58] Field of Search ..... D16/101, 102, 107, 111-112,  
D16/116-117, 121; 351/44-46, 57-58, 62, 136,  
156-158; 2/435, 439, 452

### [57] CLAIM

The ornamental design for the safety goggle, as shown  
and described.

### DESCRIPTION

FIG. 1 is a front elevational view of the safety goggle  
showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is an upper right perspective view thereof.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 329,443 9/1992 Vasko, Jr. .... D16/102  
2,676,348 4/1954 Brody et al. .  
3,541,629 11/1970 Quinlan et al. .




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7

