



US00D359598S

United States Patent [19]

[11] Patent Number: **Des. 359,598**

Forbes

[45] Date of Patent: **** Jun. 20, 1995**

[54] COMBINED COLLAR AND HANDLE

[76] Inventor: **Bill Forbes**, P.O. Box 7524, Citrus Heights, Calif. 95621

[**] Term: **14 Years**

[21] Appl. No.: **10,371**

[22] Filed: **Jul. 7, 1993**

[52] U.S. Cl. **D30/152; D30/153**

[58] Field of Search 119/770, 792, 702, 861, 119/863, 865, 856, 858, 795, 797, 156, 907; D30/151-153; D29/10, 11; 24/16 R

[56] References Cited

U.S. PATENT DOCUMENTS

144,198	11/1873	Ford	119/771
1,341,900	6/1920	Hanlon	119/856
3,372,438	3/1968	Rinecker	24/16 R
3,884,190	5/1975	Gurrey	119/779
4,584,967	4/1986	Taplin	119/793
5,005,527	4/1991	Hatfield	119/793
5,291,856	3/1994	Goller	119/858
5,322,037	6/1994	Tozawa	119/865

FOREIGN PATENT DOCUMENTS

1021640	2/1953	France	119/770
5001857	5/1985	WIPO	119/793

OTHER PUBLICATIONS

Master Animal Care Catalog; Fall 1989; p. 6; #E Adjustable Collar.


Primary Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Larry D. Johnson

[57] CLAIM

The ornamental design for a collar leash combination, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the collar leash combination showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top plan view thereof, the bottom view being a mirror image; and,
 FIG. 7 is a perspective view showing the handle extended.
 The dashed lines represent convention stitching.






FIG.-1

FIG.--2




FIG.--3




FIG.--4





FIG.--5






FIG. 6




FIG. 7