



US00D359616S

United States Patent [19]

Ishibashi et al.

[11] Patent Number: Des. 359,616

[45] Date of Patent: ** Jun. 27, 1995

[54] BEEPER HOLDER

[75] Inventors: Osamu Ishibashi; Takaaki Makino,
both of Koza, Japan

[73] Assignee: Toyo Communication Equipment Co.,
Ltd., Kanagawa, Japan

[**] Term: 14 Years

[21] Appl. No.: 20,780

[22] Filed: Apr. 1, 1994

[52] U.S. Cl. D3/218

[58] Field of Search D3/218, 215, 224, 226;
D14/251, 253, 138; 224/252, 253, 901, 904, 913,
242, 267, 222, 236, 269, 268, 240

[56] References Cited

U.S. PATENT DOCUMENTS

D. 287,905 1/1987 Oyamada .
D. 296,267 6/1988 Sakai .
D. 329,749 9/1992 Scheid .
D. 339,690 9/1993 Takahashi .

D. 345,053 3/1994 Gomez et al. D3/218
D. 346,275 4/1994 Hayasaka et al. D3/218
D. 348,355 7/1994 Scheid et al. D3/218
D. 348,981 7/1994 Dill D3/218
D. 351,280 10/1994 Pennington et al. D3/218
4,534,063 8/1985 Krumin et al. .


Primary Examiner—A. Hugo Word
Assistant Examiner—Catherine R. Oliver
Attorney, Agent, or Firm—Koda and Androlia

[57] CLAIM

The ornamental design for a beeper holder, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of the beeper holder showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7