



US00D359709S

United States Patent [19]

Miller

[11] Patent Number: **Des. 359,709**

[45] Date of Patent: **** Jun. 27, 1995**

[54] **CHILDPROOF SEAT BELT LOCK**

[76] Inventor: **Thomas B. Miller, 5 Kathryn La., Council Bluffs, Iowa 51503**

[**] Term: **14 Years**

[21] Appl. No.: **23,336**

[22] Filed: **May 23, 1994**

[52] U.S. Cl. **D11/216**

[58] Field of Search **D11/200-220; 297/482; 24/633, 634, 648; 294/483; 280/808**

4,674,303	6/1987	Salcone, II	24/633
4,731,912	3/1988	Boriskie et al.	24/633
4,791,711	12/1988	Adams	.
4,893,835	1/1990	Linden	294/483
4,961,251	10/1990	Smith	.
4,987,662	1/1991	Haffey et al.	.
5,052,087	10/1991	Portuese	.
5,154,446	10/1992	Blake	280/808
5,307,544	5/1994	Quarberg et al.	24/633

Primary Examiner—Ralf T. Seifert

[57] **CLAIM**

The ornamental design for the childproof seat belt lock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the childproof seat belt lock showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 171,045	12/1953	Noe	D11/216
3,131,446	5/1964	Davis	D11/216
3,145,442	8/1964	Brown	D11/216
3,165,805	1/1965	Lower	D11/216
3,246,377	4/1966	Brown	D11/216
4,190,934	3/1980	Wildi	24/648
4,502,194	3/1985	Morris et al.	.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

